



Sun 20th Tue 21st Mon 22nd
Sept. 20
Paris
Porte de Versailles
Pavillon 7.3

Regulations & technical information

Stand design regulations

IMPORTANT NOTE:

By signing up the registration form, the Exhibitor agrees to abide by all the clauses mentioned in the general regulations and to ensure that any decorators, installers or contractors also abide by them. The Exhibition Organiser reserves its right, for any installation which does not comply with the stand design regulations or which disturbs neighbouring exhibitors or the public, to modify or remove the stand by the stand contractor.

Two dimensioned stand layouts, indicating a ground and an elevation view, must be submitted for approval, **before August 20th 2020**, to the exhibitor service of the exhibition: Email: technique.sandwichparizza@reedexpo.fr

The technical department will check all the stand installations and may reject those that are not conform to the approved plan. The technical department reserves its right to commission a report certifying the stability of the stand structure by an approved supervisory body, at the exhibitor's expense.

HEIGHT OF STANDS, MINIMUM CLEARANCE GAP AND STAND OPENINGS

Stands must be built in compliance with the following heights and clearance limits.

MINIMUM CLEARANCE GAP

Stand structures must take into account the following minimum clearance gap:

- Constructions under 2.50m high: **no clearance gap**
- Constructions between 2.50m and 5m high: **minimum clearance gap 1m from separating partitions** (depending the location)
- Lighting trusses and signage: **minimum clearance gap 1m from separating partitions**

LIGHTING TRUSSES

Lighting trusses (exempt of signs) must respect the limited height of 5.00m (depending the location). They are permitted when independently hung over the stand structure with minimum 1 m clearance gap between neighbour dividing partitions and between aisles.

MAXIMUM HEIGHT LIMITS

Construction maximum height from the ground: **4.00m**

Maximum height for signs: **5.00m** (depending the location)

Separating partitions maximum height: **2.50m**

Lighting trusses maximum height: **5.00m** (depending the location)

Important: Please contact your technical contact to know the restrictive zones.

OPENING ONTO AISLES

Stand sides opening onto an aisle must have a minimal opening of 50%. Each opened side of the stand must comply with this requirement.

Decorations and installations must be designed in order to allow a full access to aisles and to avoid visibility troubles for neighbouring stands as well as allowing a maximum amount of visibility of the show through the stands.

PARTITIONS

Partitions overlooking neighbouring stands must be smooth, plain, painted white or grey, or covered in white or grey wall fabric, **without any sign of any kind** or wooden braces for assembling partitions.

RE-USED STANDS

Re-used stands are subjects to Sandwich-Parizza Stand Design Regulations in the same way as newly built stands. They must conform to the prescribed clearance and height limits, and be approved by the Exhibitor Service of the exhibition.

STAND BOUNDARIES

No decorative items, furniture, signage, floor covering or light fittings must outstrip the boundaries of the stand.

SIGNAGE

DOUBLE-LEVEL STANDS

Double-level stands are not permitted.

SIGNS/STRUCTURE

A sign is an openwork superstructure featuring the exhibitor's illuminated name or logo. Signs must be suspended thanks to a hatch or riggings, or attached to the stand framework with a light frame.

The sign structure may not exceed a height of 5m from the ground and must be set at least at 1m back from the edges of the neighbour stand.

SOUND SYSTEMS AND ILLUMINATED SIGNS

Any advertising using lighting or sound must be submitted for approval to the Sandwich-Parizza technical team. Even in case of approval, this permission can be review if the advertising used would cause nuisances to neighbour or to the Exhibition itself.

Flashing signs and similar are not permitted. Illuminated signs are permitted but they must not be intermittent or of a flashing nature.

Important: Please contact your technical contact to know the restrictive zones.

STANDS OVER 200 SQM

Please contact the technical security advisor:

D.Ö.T.

Fax: +33 (0)1.46.05.76.48

Email: sps*d-o-t.fr

TETHERED BALLOONS

Balloon signs inflated with a gas lighter than air must not exceed the prescribed height and clearance limits. Tethers must be maintained at a constant height (maximum 5m depending the location). Failure to comply with this requirement will give Sandwich-Parizza the right to remove them.



Sun Tue Mon
20th . 21st . 22nd
Sept. 20
Paris
Porte de Versailles
Pavillon 7.3

Regulations & technical information

Technical specifications

Pavilion 7.3

FLOORS, WALLS, PILLARS FLAG

The floors, walls and pillars of the pavilion are made of concrete, painted or metal clad with wood panels. It is forbidden to make openings, seals, cut or otherwise. It is also forbidden to paint.

WOOD PANELS ON POST (FIGURE 2)

Wood panels on posts are 3 m high. They can be used by all exhibitors to hang signs or decorations. Any element fixed by stapling must be removed at the end of the show by the exhibitor and the staples too.

Otherwise, the restoration will be charged to the exhibitor.

FLUID DISTRIBUTION GUTTERS

Fluid distribution in the pavilion is provided by a series of conduits. Gutters are fully enclosed by cast iron plates. Only the operating company of the park is authorized to use them.

For more information, contact +33 (0) 1 40 68 16 16

ATTENTION!

Water access is not guaranteed on every stand and must be validated by the technical department.

It is strongly recommended to install a technical flooring to cover the pipes.

DAMAGES

Exhibitor is responsible for himself and for all of its service providers, for any damage on the exhibition hall during the setup period ou the dismantling.

AISLES

Exhibitors must not obstruct aisles with pipes, cables or decorative elements, both ground and height.

However, pipes and cables of the Show organisation or security services can cross the stands if necessary.

HANGING TO THE STRUCTURES • SLINGS

Hanging to the structure of the pavilion is provided by the technical services of the exhibition park. The order must be sent directly to the exhibitors services at +33 (0) 1 40 68 16 16.


In all cases, suspended items must comply with the architecture rules of the shows.

SMOKE EXTRACTION CONTROLS AND FIXED FIRE

Smoke extraction control and fire extinguishers are fixed on the wall or the pillars of the hall.

RIA should be visible and accessible within a radius of 1 m. The intercoms must be unobstructed permanently.

The markup of these items must be visible.



RIGGING POINT



ELECTRICAL BOX (over 20KW)



ELECTRICAL BOX (FRONT AND BACK)




ELECTRICAL CABLE



ELECTRICAL BOXES ON POST



TECHNICAL TRAP



FIRE HORSE CABINETS - RIA

CHARGES AU SOL

* Sauf indication contraire portée sur le plan.

